



Fraise courte Z3



Sur demande



Matière	Vc non rev.	Vc rev.	Brut	Revêtu	Rev. recommand.*
Acier < 700 N/mm ²	100	130	☐	■	Tisi (BQ)
Acier > 700 N/mm ²	80	100	-	■	Tisi (BQ)
Acier inox	50	70	☐	■	Tisi (BQ)
Fonte	60	100	☐	■	Tisi (BQ)
Cuivre	130	160	☐	■	Solo (DA)
Laiton - Bronze	140	190	■	☐	Solo (DA)
Aluminium	200	350	☐	■	Solo (DA)
Or - Argent	140	180	■	■	Solo (DA)
Platine - Palladium	-	35	-	☐	Solo (DA)
Superalliages	-	40	-	■	Trio (PO)
Titane	40	60	■	■	RICO (ZB)

pas adapté - adapté ☐ très adapté ■

Tolérances $d_1 < D$ $d_1 = D$ $d_1; 0/-0.02$ $d_1; e8$ $D; h5$

Disponible brut ou revêtu (voir page 308)



Z3



λ
30°

γ
8-10°

CARB



$ap=0.25xd_1$

$ae=0.5xd_1$
 $ap=0.5xd_1$

Art. n°	d_1	l_1	D	L	Brut	Trio*
109d1.50	1.5	3	6	51	▲	▲
109d2.00	2.0	3	6	51	▲	▲
109d2.50	2.5	3	6	51	▲	▲
109d3.00	3.0	4	6	51	▲	▲
109d3.50	3.5	4	6	51	▲	▲
109d4.00	4.0	5	6	51	▲	▲
109d4.50	4.5	5	6	51	▲	▲
109d5.00	5.0	6	6	51	▲	▲
109d5.50	5.5	7	6	51	▲	▲
109d6.00	6.0	7	6	51	▲	▲
109d7.00	7.0	8	8	61	▲	▲
109d8.00	8.0	9	8	61	▲	▲
109d9.00	9.0	10	10	72	▲	▲
109d10.00	10.0	11	10	72	▲	▲
109d12.00	12.0	12	12	83	▲	▲

* Prix des autres revêtements : contactez-nous!

Pour commander un outil revêtu, ajoutez le code à 2 lettres du revêtement au code article.