

Foret hélice 24°



Disponible
brut ou revêtu
(voir page 308)



118°

Z2

λ
24°

CARB

Art. n°	d ₁	l ₁	L		
				Brut	Solo*
348d3.30	3.30	14.0	49	▲	▲
348d3.35	3.35	14.0	49	▲	▲
348d3.40	3.40	15.0	52	▲	▲
348d3.45	3.45	15.0	52	▲	▲
348d3.50	3.50	15.0	52	▲	▲
348d3.55	3.55	15.0	52	▲	▲
348d3.60	3.60	15.0	52	▲	▲
348d3.65	3.65	15.0	52	▲	▲
348d3.70	3.70	15.0	52	▲	▲
348d3.75	3.75	15.0	52	▲	▲
348d3.80	3.80	17.0	55	▲	▲
348d3.85	3.85	17.0	55	▲	▲
348d3.90	3.90	17.0	55	▲	▲
348d3.95	3.95	17.0	55	▲	▲
348d4.00	4.00	17.0	55	▲	▲
348d4.05	4.05	17.0	55	▲	▲
348d4.10	4.10	17.0	55	▲	▲
348d4.15	4.15	17.0	55	▲	▲
348d4.20	4.20	17.0	55	▲	▲
348d4.25	4.25	17.0	55	▲	▲
348d4.30	4.30	18.0	58	▲	▲
348d4.35	4.35	18.0	58	▲	▲
348d4.40	4.40	18.0	58	▲	▲
348d4.45	4.45	18.0	58	▲	▲
348d4.50	4.50	18.0	58	▲	▲
348d4.55	4.55	18.0	58	▲	▲
348d4.60	4.60	18.0	58	▲	▲
348d4.65	4.65	18.0	58	▲	▲
348d4.70	4.70	18.0	58	▲	▲
348d4.75	4.75	18.0	58	▲	▲
348d4.80	4.80	20.0	62	▲	▲
348d4.85	4.85	20.0	62	▲	▲
348d4.90	4.90	20.0	62	▲	▲
348d4.95	4.95	20.0	62	▲	▲
348d5.00	5.00	20.0	62	▲	▲
348d5.10	5.10	20.0	62	▲	▲
348d5.20	5.20	20.0	62	▲	▲
348d5.30	5.30	20.0	62	▲	▲
348d5.40	5.40	21.0	66	▲	▲
348d5.50	5.50	21.0	66	▲	▲
348d5.60	5.60	21.0	66	▲	▲
348d5.70	5.70	21.0	66	▲	▲
348d5.80	5.80	21.0	66	▲	▲
348d5.90	5.90	21.0	66	▲	▲
348d6.00	6.00	21.0	66	▲	▲

Art. n°	d ₁	l ₁	L		
				Brut	Solo*
348d6.10	6.10	23.0	70	▲	▲
348d6.20	6.20	23.0	70	▲	▲
348d6.30	6.30	23.0	70	▲	▲
348d6.40	6.40	23.0	70	▲	▲
348d6.50	6.50	23.0	70	▲	▲
348d6.60	6.60	23.0	70	▲	▲
348d6.70	6.70	23.0	70	▲	▲
348d6.80	6.80	25.0	74	▲	▲
348d6.90	6.90	25.0	74	▲	▲
348d7.00	7.00	25.0	74	▲	▲
348d7.10	7.10	25.0	74	▲	▲
348d7.20	7.20	25.0	74	▲	▲
348d7.30	7.30	25.0	74	▲	▲
348d7.40	7.40	25.0	74	▲	▲
348d7.50	7.50	25.0	74	▲	▲
348d7.60	7.60	27.0	79	▲	▲
348d7.70	7.70	27.0	79	▲	▲
348d7.80	7.80	27.0	79	▲	▲
348d7.90	7.90	27.0	79	▲	▲
348d8.00	8.00	27.0	79	▲	▲
348d8.10	8.10	27.0	79	▲	▲
348d8.20	8.20	27.0	79	▲	▲
348d8.30	8.30	27.0	79	▲	▲
348d8.40	8.40	27.0	79	▲	▲
348d8.50	8.50	27.0	79	▲	▲
348d8.80	8.80	29.0	84	▲	▲
348d9.00	9.00	29.0	84	▲	▲
348d9.20	9.20	29.0	84	▲	▲
348d9.50	9.50	29.0	84	▲	▲
348d9.80	9.80	31.0	89	▲	▲
348d10.00	10.00	31.0	89	▲	▲
348d10.20	10.20	31.0	89	▲	▲
348d10.50	10.50	31.0	89	▲	▲
348d11.00	11.00	33.0	95	▲	▲
348d11.50	11.50	33.0	95	▲	▲
348d12.00	12.00	35.0	102	▲	▲
348d12.50	12.50	35.0	102	▲	▲
348d13.00	13.00	35.0	102	▲	▲
348d13.50	13.50	37.0	107	▲	▲
348d14.00	14.00	37.0	107	▲	▲
348d16.00	16.00	38.0	115	▲	▲

* Prix des autres revêtements : contactez-nous!

Pour commander un outil revêtu, ajoutez le code à 2 lettres du revêtement au code article.


Foret long - hélice 34°

352

Matière	Vc non rev.	Vc rev.	Brut	Revêtu	Rev. recommand.*
Acier < 700 N/mm ²	70	80	□	□	Tisi (BQ)
Acier > 700 N/mm ²	60	70	□	■	Tisi (BQ)
Acier inox	20	40	□	■	Tisi (BQ)
Fonte	60	70	□	■	Tisi (BQ)
Cuivre	100	130	□	■	Solo (DA)
Laiton - Bronze	80	120	■	■	Solo (DA)
Aluminium	100	120	■	■	Solo (DA)
Or - Argent	80	100	□	□	Solo (DA)
Platine - Palladium	-	20	-	□	Solo (DA)
Superalliages	-	25	-	□	Trio (PO)
Titane	40	60	□	□	Rico (ZB)

pas adapté - adapté □ très adapté ■

Tolérances d₁; h5



Art. n°	d ₁	l ₁	L		
				Brut	Nemo*
352d0.300	0.300	3.7	38	▲	▲
352d0.350	0.350	3.7	38	▲	▲
352d0.400	0.400	4.7	38	▲	▲
352d0.450	0.450	4.7	38	▲	▲
352d0.500	0.500	5.7	38	▲	▲
352d0.550	0.550	5.7	38	▲	▲
352d0.600	0.600	7.7	38	▲	▲
352d0.650	0.650	7.7	38	▲	▲
352d0.700	0.700	9.7	38	▲	▲
352d0.750	0.750	9.7	38	▲	▲
352d0.800	0.800	11.7	38	▲	▲
352d0.850	0.850	11.7	38	▲	▲
352d0.900	0.900	14.7	38	▲	▲
352d0.950	0.950	14.7	38	▲	▲
352d1.000	1.000	14.7	38	▲	▲
352d1.050	1.050	14.7	38	▲	▲
352d1.100	1.100	14.7	38	▲	▲
352d1.150	1.150	14.7	38	▲	▲
352d1.200	1.200	14.7	38	▲	▲
352d1.250	1.250	14.7	38	▲	▲
352d1.300	1.300	14.7	38	▲	▲
352d1.350	1.350	14.7	38	▲	▲
352d1.400	1.400	14.7	38	▲	▲
352d1.450	1.450	14.7	38	▲	▲
352d1.500	1.500	14.7	38	▲	▲
352d1.550	1.550	14.7	38	▲	▲
352d1.600	1.600	14.7	38	▲	▲
352d1.650	1.650	14.7	38	▲	▲
352d1.700	1.700	14.7	38	▲	▲
352d1.750	1.750	14.7	38	▲	▲
352d1.800	1.800	14.7	38	▲	▲
352d1.850	1.850	14.7	38	▲	▲
352d1.900	1.900	14.7	38	▲	▲
352d1.950	1.950	14.7	38	▲	▲
352d2.000	2.000	14.7	38	▲	▲
352d2.050	2.050	14.7	38	▲	▲
352d2.100	2.100	14.7	38	▲	▲
352d2.150	2.150	14.7	38	▲	▲
352d2.200	2.200	14.7	38	▲	▲
352d2.250	2.250	14.7	38	▲	▲
352d2.300	2.300	14.7	38	▲	▲
352d2.350	2.350	14.7	38	▲	▲
352d2.400	2.400	14.7	38	▲	▲
352d2.450	2.450	14.7	38	▲	▲
352d2.500	2.500	14.7	38	▲	▲
352d2.550	2.550	14.7	38	▲	▲
352d2.600	2.600	14.7	38	▲	▲
352d2.650	2.650	14.7	38	▲	▲
352d2.700	2.700	14.7	38	▲	▲
352d2.750	2.750	14.7	38	▲	▲
352d2.800	2.800	14.7	38	▲	▲
352d2.850	2.850	14.7	38	▲	▲
352d2.900	2.900	14.7	38	▲	▲
352d2.950	2.950	14.7	38	▲	▲
352d3.000	3.000	14.7	38	▲	▲
352d3.050	3.050	14.7	38	▲	▲
352d3.100	3.100	14.7	38	▲	▲
352d3.150	3.150	14.7	38	▲	▲
352d3.175	3.175	14.7	38	▲	▲
352d3.200	3.200	19.7	51	▲	▲

Disponible brut ou revêtu (voir page 308)

118°

Z2

λ 34°

CARB


* Prix des autres revêtements : contactez-nous!
 Pour commander un outil revêtu, ajoutez le code à 2 lettres du revêtement au code article.



Foret long - hélice 34°



Sur demande



Disponible
brut ou revêtu
(voir page 308)



118°

Z2



λ
34°

CARB

Art. n°	d ₁	l ₁	L		
				Brut	Nemo*
352d3.300	3.300	19.7	51	▲	▲
352d3.400	3.400	19.7	51	▲	▲
352d3.500	3.500	19.7	51	▲	▲
352d3.600	3.600	19.7	51	▲	▲
352d3.700	3.700	19.7	51	▲	▲
352d3.800	3.800	19.7	51	▲	▲
352d3.900	3.900	19.7	51	▲	▲
352d4.000	4.000	19.7	51	▲	▲
352d4.100	4.100	24.7	51	▲	▲
352d4.200	4.200	24.7	51	▲	▲
352d4.300	4.300	24.7	51	▲	▲
352d4.400	4.400	24.7	51	▲	▲
352d4.500	4.500	24.7	51	▲	▲
352d4.600	4.600	24.7	51	▲	▲
352d4.700	4.700	24.7	51	▲	▲
352d4.800	4.800	24.7	51	▲	▲
352d4.900	4.900	24.7	51	▲	▲
352d5.000	5.000	24.7	51	▲	▲
352d5.100	5.100	24.7	51	▲	▲
352d5.200	5.200	24.7	51	▲	▲
352d5.300	5.300	24.7	51	▲	▲
352d5.400	5.400	24.7	51	▲	▲
352d5.500	5.500	24.7	51	▲	▲
352d5.600	5.600	24.7	51	▲	▲
352d5.700	5.700	24.7	51	▲	▲
352d5.800	5.800	24.7	51	▲	▲
352d5.900	5.900	24.7	51	▲	▲
352d6.000	6.000	24.7	51	▲	▲
352d6.100	6.100	30.0	70	▲	▲
352d6.200	6.200	30.0	70	▲	▲
352d6.300	6.300	30.0	70	▲	▲
352d6.400	6.400	30.0	70	▲	▲
352d6.500	6.500	30.0	70	▲	▲
352d6.600	6.600	30.0	70	▲	▲
352d6.700	6.700	30.0	70	▲	▲
352d6.800	6.800	33.0	74	▲	▲
352d6.900	6.900	33.0	74	▲	▲
352d7.000	7.000	33.0	74	▲	▲
352d7.100	7.100	33.0	74	▲	▲
352d7.200	7.200	33.0	74	▲	▲
352d7.300	7.300	33.0	74	▲	▲
352d7.400	7.400	33.0	74	▲	▲
352d7.500	7.500	33.0	74	▲	▲
352d7.600	7.600	36.0	79	▲	▲
352d7.700	7.700	36.0	79	▲	▲

Art. n°	d ₁	l ₁	L		
				Brut	Nemo*
352d7.800	7.800	36.0	79	▲	▲
352d7.900	7.900	36.0	79	▲	▲
352d8.000	8.000	36.0	79	▲	▲
352d8.100	8.100	36.0	79	▲	▲
352d8.200	8.200	36.0	79	▲	▲
352d8.300	8.300	36.0	79	▲	▲
352d8.400	8.400	36.0	79	▲	▲
352d8.500	8.500	36.0	79	▲	▲
352d8.600	8.600	39.0	84	▲	▲
352d8.700	8.700	39.0	84	▲	▲
352d8.800	8.800	39.0	84	▲	▲
352d8.900	8.900	39.0	84	▲	▲
352d9.000	9.000	39.0	84	▲	▲
352d9.100	9.100	39.0	84	▲	▲
352d9.200	9.200	39.0	84	▲	▲
352d9.300	9.300	39.0	84	▲	▲
352d9.400	9.400	39.0	84	▲	▲
352d9.500	9.500	39.0	84	▲	▲
352d9.600	9.600	41.0	89	▲	▲
352d9.700	9.700	41.0	89	▲	▲
352d9.800	9.800	41.0	89	▲	▲
352d9.900	9.900	41.0	89	▲	▲
352d10.000	10.000	41.0	89	▲	▲
352d10.200	10.200	41.0	89	▲	▲
352d10.500	10.500	41.0	89	▲	▲
352d11.000	11.000	45.0	95	▲	▲
352d11.500	11.500	45.0	95	▲	▲
352d12.000	12.000	49.0	102	▲	▲
352d12.500	12.500	49.0	102	▲	▲
352d13.000	13.000	49.0	102	▲	▲
352d13.500	13.500	52.0	107	▲	▲
352d14.000	14.000	52.0	107	▲	▲
352d15.000	15.000	54.0	111	▲	▲
352d16.000	16.000	56.0	115	▲	▲
352d17.000	17.000	58.0	119	▲	▲
352d18.000	18.000	60.0	123	▲	▲
352d19.000	19.000	62.0	127	▲	▲
352d20.000	20.000	64.0	131	▲	▲

* Prix des autres revêtements : contactez-nous!

Pour commander un outil revêtu, ajoutez le code à 2 lettres du revêtement au code article.