


# Fraise à graver PCD pour machine 701S Willemin-Macodel

## 74119-3


Matière	n [tr/min]	Ap	Perf.
Acier < 700 N/mm <sup>2</sup>	-	-	-
Acier > 700 N/mm <sup>2</sup>	-	-	-
Acier inox	-	-	-
Fonte	-	-	-
Cuivre	≥ 40'000	0.05 - 0.40	□
Laiton - Bronze	≥ 40'000	0.05 - 0.40	□
Aluminium	≥ 40'000	0.05 - 0.40	■
Or - Argent	≥ 40'000	0.05 - 0.40	■
Platine - Palladium	≥ 40'000	0.05 - 0.40	■
Superalliages	-	-	-
Titane	-	-	-

pas adapté - adapté □ très adapté ■

Tolérances d<sub>1</sub>: +/- 0.01  
D: h5



Art. n°	α	d <sub>1</sub>	D	L
74119-3a40d0.05	40	0.05	6	33
74119-3a40d0.08	40	0.08	6	33
74119-3a40d0.10	40	0.10	6	33
74119-3a50d0.05	50	0.05	6	33
74119-3a50d0.08	50	0.08	6	33
74119-3a50d0.10	50	0.10	6	33
74119-3a60d0.05	60	0.05	6	33
74119-3a60d0.08	60	0.08	6	33
74119-3a60d0.10	60	0.10	6	33
74119-3a70d0.05	70	0.05	6	33
74119-3a70d0.08	70	0.08	6	33
74119-3a70d0.10	70	0.10	6	33
74119-3a90d0.05	90	0.05	6	33
74119-3a90d0.08	90	0.08	6	33
74119-3a90d0.10	90	0.10	6	33



Commande  Demande d'offre

<b>Angle (α):</b> <input type="checkbox"/> Par défaut : 60° <input type="checkbox"/> 30° <input type="checkbox"/> 35° <input type="checkbox"/> 45° <input type="checkbox"/> Autres : _____ <input type="checkbox"/> 50° <input type="checkbox"/> 55° <input type="checkbox"/> 90°		<b>N° commande :</b> _____
<b>Matière à usiner :</b> _____	<b>Quantité :</b> _____	<b>d<sub>1</sub> (dès 0.02 mm) :</b> _____
<b>Personne de contact :</b> _____		<b>Timbre de la société &amp; date :</b> _____

Dimensions standards des barreaux : Ø 3x L 38, Ø 4x L 38, Ø 6x L 38, Ø 6x L 51, Ø 8x L 61, Ø 10x L 72, Ø 12x L 83, Ø 16x L 92, Ø 20x L 104

Autres dimensions, CVD/CBN sur demande